

PEFC™

WOOD - PRODUCT DATASHEET 2021




TECHNICAL DATA (EN 13489)		14 mm	22 mm
Reaction to fire	EN 14342 Table 1	Dfl-s1	
Emission of formaldehyde	EN 14342	E1	
Brinell hardness (average value) Oak Ash	(BHN) EN1534	3,7 4,0	
Taber Abraser/Lacquer's wear resistance Proteco Natura <i>This typical value is only applicable for transparent, not brushed products.</i>	EN 13696	3500	
Reduction of sound weighted index ΔL_w in dB with 2 mm Tarkofoam/flex II	EN ISO 10140-3 / EN ISO 717-2	≥17	
Thermal insulation value (RT m ² K/W) board only with rag felt with 2 mm Tarkofoam/flex II	EN ISO 10456:2007	0,101 0,121 0,141	0,152 0,182 0,192
Thermal conductivity (W/m K)	EN 12664 / EN 14342:2013	0,11	0,136
Construction	3-layer with softwood core		

INSTALLATION	
Installation method	14 mm: 2-lock for floating or glue down 22 mm: Nailed or glue down Floating max area 30 m ²
Installation instruction	Download from www.tarkett.com Contact your supplier for more details
Underfloor heating compatible Maximum floor surface temperature 27°C with self-regulating under-floor heat system	Yes
Start & Stop: Shorter lengths of planks included in approx. 1 pack per 20 m ²	

RECOMMENDED ACCESSORIES	
Installation	Tarkofoam II / Tarkoflex II Installation kit
Aesthetics	Skirting, Transition moulding, Pipe covers
Care & Maintenance	Wood Floor Care Kit / Spray Mop Kit Bioclean Refresher
See more alternatives and the complete range of accessories @ www.tarkett.com	

MAINTENANCE
Tarkett wooden floors have a Proteco surface treatment and therefore a strong protection against normal wear, abrasion, scratches and stains. Some floors will require more frequent maintenance for increased life span. Generally these products are light coloured floors and hardwax oiled floors, particularly with brushed surface and/or highlighted details, such as saw marks. Please always refer to maintenance guidance available on websites.
See maintenance instructions @ www.tarkett.com

Hansskog 2021.06 - DK



DESIGN

As one of the world's largest flooring manufacturers, we have a responsibility to ensure that our operations are driven with a focus on long-term sustainability. Fulfilling a need for wooden floors that are beautiful to look at but also have a positive impact on people and the planet. When it comes to sustainability at Tarkett, our motto is "Doing good. Together."

PRODUCT DATA	Material code	Dimensions LxWxH (mm)	Pattern	Surface treatment	Surface effect	Bevel (2 side)	Character	Colour	Latin name	DoP no.	Wear layer thk (mm)	Board/ pack	m2/ pack	m2/ pallet	Net weight/ m2 (kg)
Pure Ash Contrast TreS	7965015	2 281 x 194 x 14	3-strip	Proteco Natura	-	-	Lively	Warm beige	1	0020-0106	3,5	6	2,66	93,10	7,9
Pure Oak Robust TreS	7870915	2 281 x 194 x 14	3-strip	Proteco Natura	-	-	Lively	Warm brown	2	0020-0106	3,5	6	2,66	93,10	7,9
Pure Oak Nature TreS	7869046	2 281 x 194 x 14	3-strip	Proteco Natura	-	-	Calm	Warm brown	2	0020-0106	3,5	6	2,66	93,10	7,9
Pure Oak Rustic Plank XT	7877061	2 200 x 190 x 14	1-strip	Proteco Natura	Brushed	Minibevel	Lively	Warm brown	2	0190-0105	3,5	6	2,51	87,85	7,9
	7877060	2 000 x 190 x 14	1-strip	Proteco Natura	Brushed	Minibevel	Lively	Warm brown	2	0190-0105	3,5	6	2,28	79,80	7,9
Pure Oak Rustic Plank	7876957	2 200 x 162 x 14	1-strip	Proteco Natura	Brushed	Minibevel	Lively	Warm brown	2	0190-0105	3,5	6	2,14	77,04	7,9
	7876958	2 000 x 162 x 14	1-strip	Proteco Natura	Brushed	Minibevel	Lively	Warm brown	2	0190-0105	3,5	6	1,94	69,84	7,9
Professional Ash Contrast White	7951007	2 535 x 194 x 22	3-strip	Proteco Natura	-	-	Lively	Warm beige	1	0020-0117	3,5	4	1,97	68,95	10,6
Professional Oak Robust White	7825901	2 535 x 194 x 22	3-strip	Proteco Natura	-	-	Lively	Warm beige	2	0020-0117	3,5	4	1,97	68,95	10,6
Professional Ash Nature	7949009	2 535 x 194 x 22	3-strip	Proteco Natura	-	-	Calm	Warm beige	1	0020-0117	3,5	4	1,97	68,95	10,6
Professional Ash Contrast	7950007	2 535 x 194 x 22	3-strip	Proteco Natura	-	-	Lively	Warm beige	1	0020-0117	3,5	4	1,97	68,95	10,6
Professional Oak Nature	7825012	2 535 x 194 x 22	3-strip	Proteco Natura	-	-	Calm	Warm brown	2	0020-0117	3,5	4	1,97	68,95	10,6

Due to the nature of the material this table shows typical values.

1: Fraxinus Angustifolia, 2: Quercus Robur & Quercus Petraea



Pure Ash Contrast TreS



Pure Oak Robust TreS




Pure Oak Nature TreS



Pure Oak Rustic Plank XT



Pure Oak Rustic Plank



Professional Ash Contrast White



Professional Oak Robust White



Professional Ash Nature



Professional Ash Contrast



Professional Oak Nature

The pictures only present the colour of the floor. For more details regarding grading and variations see the Grading Book or www.tarkett.com.

Tarkett's international range of floors comprises many different products. Some of these may not be for sale in your country. Although every care has been taken to reproduce images that reflect the finished product, the quality of monitor and printer and the nature of wood results in variations in the color and structure of individual planks. When sanding a wooden floor the appearance will change in colour, texture and surface effects.

For further and latest information please visit www.tarkett.com


PRODUCT DATA	Material code	Dimensions LxWxH (mm)	Pattern	Surface treatment	Surface effect	Bevel (2 side)	Character	Colour	Latin name	DoP no.	Wear layer thk (mm)	Board/ pack	m2/ pack	m2/ pallet	Net weight/ m2 (kg)
Shade Ash Melange TreS	7964901	2 281 x 194 x 14	3-strip	Proteco Natura	-	-	Expressive	Warm beige	1	0020-0106	3,5	6	2,66	93,10	7,9
Shade Ash Linen White Plank	7967908	2 200 x 162 x 14	1-strip	Proteco Natura	-	Minibevel	Calm	Warm beige	1	0190-0105	3,5	6	2,14	77,04	7,9
	7967909	2 000 x 162 x 14	1-strip	Proteco Natura	-	Minibevel	Calm	Warm beige	1	0190-0105	3,5	6	1,94	69,84	7,9
Shade Ash Linen White TreS	7965014	2 281 x 194 x 14	3-strip	Proteco Natura	-	-	Lively	Warm beige	1	0020-0106	3,5	6	2,66	93,10	7,9
Shade Oak Rustic Cream White Plank XT	7877062	2 200 x 190 x 14	1-strip	Proteco Natura	-	Minibevel	Lively	Warm beige	2	0190-0105	3,5	6	2,51	87,85	7,9
Shade Oak Robust Cream White Plank	7876954	2 200 x 162 x 14	1-strip	Proteco Natura	-	Minibevel	Lively	Warm beige	2	0190-0105	3,5	6	2,14	77,04	7,9
	7876956	2 000 x 162 x 14	1-strip	Proteco Natura	-	Minibevel	Lively	Warm beige	2	0190-0105	3,5	6	1,94	69,84	7,9
Shade Oak Cream White TreS	7870916	2 281 x 194 x 14	3-strip	Proteco Natura	-	-	Lively	Warm beige	2	0020-0106	3,5	6	2,66	93,10	7,9
Shade Oak Nature Cream White TreS	7870914	2 281 x 194 x 14	3-strip	Proteco Natura	-	-	Calm	Warm beige	2	0020-0106	3,5	6	2,66	93,10	7,9
Shade Oak Antique White Plank	7876950	2 520 x 162 x 14	1-strip	Proteco Natura	Brushed	Maxibevel	Expressive	Warm beige	2	0190-0105	3,5	6	2,45	88,20	7,9
	7876949	2 200 x 162 x 14	1-strip	Proteco Natura	Brushed	Maxibevel	Expressive	Warm beige	2	0190-0105	3,5	6	2,14	77,04	7,9
	7876962	2 000 x 162 x 14	1-strip	Proteco Natura	Brushed	Maxibevel	Expressive	Warm beige	2	0190-0105	3,5	6	1,94	69,84	7,9

Due to the nature of the material this table shows typical values.

1: Fraxinus Angustifolia, 2: Quercus Robur & Quercus Petraea



Shade Ash
Melange TreS



Shade Ash
Linen White Plank



Shade Ash
Linen White TreS



Shade Oak Rustic
Cream White Plank XT



Shade Oak Robust
Cream White Plank



Shade Oak
Cream White TreS



Shade Oak Nature
Cream White TreS



Shade Oak
Antique White Plank

The pictures only present the colour of the floor. For more details regarding grading and variations see the Grading Book or www.tarkett.com.

Tarkett's international range of floors comprises many different products. Some of these may not be for sale in your country. Although every care has been taken to reproduce images that reflect the finished product, the quality of monitor and printer and the nature of wood results in variations in the color and structure of individual planks. When sanding a wooden floor the appearance will change in colour, texture and surface effects.

For further and latest information please visit www.tarkett.com