FRIDAY

Refined Access Technology







FRIDAY Access

The cloud-based system FRIDAY Access allows you to define access rights the way you want, to whom you want and when you want. Managing your electronic keys becomes really easy with FRIDAY Access and can be controlled on any device. All FRIDAY units are online, so they respond instantly to every change you make in the system.

Key Features

- Limit user rights locally and temporarily
- Block lost devices
- No tags
- No expensive programming tools
- API integration
- Cloud-based
- 65.000 users
- 65.000 units
- Real-time log
- Operate units directly from system
- Visual indication of door locked/unlocked
- Import projects through CSV
- Integration with active directory Microsoft 365



The LINK

LINK can be powered either through hardwire installations or via FRIDAY battery bank. In current electrical installations, you can install LINK and get phone-based access control in your door. The LINK can be fitted into existing hardwired installations or into the doorframe above the electrical lock with the battery bank.


Key Features


- Wi-Fi (low energy) always online
- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home











The LINK

Authentication in app: OAuth2

Bluetooth chip / Specfic chip ID: BLE 5.0 - nRF52840 chip will support 5.2 later

Wi-Fi chip / Specific chip ID: Opulinks opl1000a2

Encryption level Bluetooth: Curve25519, ChaCha20-Poly1305 IETF

Encryption level Wi-Fi / internet: TLS 1.2+


Shell: Plastic ABS

Features: Apple HomeKit, Alexa and Google Assistant

iOS & Android: iOS and Android compatible


Colors: White ABS, more colors to come


Fitment: 6-24v



GATES & DOORS









- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home




| Product | Item Number | Amount | Unit |
|------------------------------|---------------------------|--------|------|
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| Gates and automatic | Delivered by manufacturer | | |








- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home



| Product | Item Number | Amount | Unit |
|--------------------------------------------------------------------|-----------------------|--------|------|
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| Hinges & Door | Delivery from factory | | |
| Dorcas weather protectet IP 66 electric Strike | 6200 -62N-412 12v | 1 | PCS |
| Lever handles on ball bearing roses, concealed fixing s.s.s finish | 12800302002 | 1 | PR |
| EVVA / FRIDAY ICS DIN | 2037 | 1 | PCS |
| PZ cylinder escutcheons, concealed fixing | 12800402011 | 1 | PCS |
| Sash lock 60mmPZ72mm Square, strong spring+strike plate | 14921102600 | 1 | PCS |
| Door closer | DC700 | 1 | PCS |
| Abloy PSU/ps-ss Standard series | 101899 12v 1A DC | 1 | PCS |





- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home



| Product | Item Number | Amount | Unit |
|------------------------------|---------------------------|--------|------|
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| Gates and automatic | Delivered by manufacturer | | |





- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home



| Product | Item Number | Amount | Unit |
|------------------------------|---------------------------|--------|------|
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| Gates and automatic | Delivered by manufacturer | | |






- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home



| Product | Item Number | Amount | Unit |
|------------------------------|---------------------------|--------|------|
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| Gates and automatic | Delivered by manufacturer | | |






- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home




| Product | Item Number | Amount | Unit |
|------------------------------|---------------------------|--------|------|
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| Gates and automatic | Delivered by manufacturer | | |





- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home




| Product | Item Number | Amount | Unit |
|------------------------------|---------------------------|--------|------|
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| Gates and automatic | Delivered by manufacturer | · | . 00 |





- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home



| Product | Item Number | Amount | Unit |
|------------------------------|---------------------------|--------|------|
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| Gates and automatic | Delivered by manufacturer | | |



- Wi-Fi (low energy) always online
- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home

- Right and left single leaf single-action doors
- Single-action doors up to 1100 mm leaf width or 125 kg weight
- Entrance and interior doors with moderate access frequency
- Automation of frameless all-glass doors
- Door leaf installation and transom installation
- Barrier-free access
- Adjustable opening and closing speed
- Electrical latching action which accelerates the door
- Low-energy function opens and closes the door
- Obstacle detection
- Automatic reversing detectection
- Push & Go function triggers the automatic drive components
- Drive can be used with guide rail or link arm
- Glass guide rail available with a glass thickness of 8-10 mm
- Optional rechargeable battery provides maximun safety


| Product | Item Number | Amount | Unit |
|--------------------------------------------------------------------|---------------------|--------|------|
| | | | |
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| Abloy electric Mortice lock 560 | Abloy 6416495228890 | 1 | PCS |
| Lever handles on ball bearing roses, concealed fixing s.s.s finish | 12800302002 | 1 | PR |
| EVVA / FRIDAY ICS DIN | 2037 | 1 | PCS |
| PZ cylinder escutcheons, concealed fixing | 12800302002 | 1 | PCS |
| Floor door stop Ø40 mm | 14507002006 | 1 | PCS |
| GEZE ECturn Automatic | 131975 | 1 | PCS |



- Wi-Fi (low energy) always online
- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home

- Single and double leaf sliding door systems
- Interior and exterior doors with high access frequency
- Facades with narrow post-rail constructions
- Glass facades with the highest design standards
- Opening widths from 700 to 3000 mm possible
- Door leaf weights of up to 125 kg per leaf
- Suitable profile systems are fine-framed profile systems with ISO and mono glass, all-glass systems (GGS), integrated allglass systems (IGG), and on-site frame and wooden leaves
- Low-wear direct current drive with a height of only 7 cm
- Can be networked via CAN bus and integrated into building technology management systems
- Independent error recognition and recording
- Freely configurable inputs and outputs
- Integrated, rechargeable battery for emergency opening


| Product | Item Number | Amount | Unit |
|-----------------------------------|-------------|--------|------|
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| GEZE Slimdrive SL NT Sliding door | 132473 | 1 | PCS |
| Accessories – GEZE example | | | |
| DPS Switch | 151524 | 1 | PCS |
| GC 302 Radar | 124087 | 2 | PCS |




- Wi-Fi (low energy) always online
- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home

- Right and left single leaf single-action doors
- Single-action doors up to 1100 mm leaf width or 125 kg weight
- Entrance and interior doors with moderate access frequency
- Automation of frameless all-glass doors
- Door leaf installation and transom installation
- Barrier-free access
- Adjustable opening and closing speed
- Electrical latching action which accelerates the door
- Low-energy function opens and closes the door
- Obstacle detection
- Automatic reversing detectection
- Push & Go function triggers the automatic drive components
- Drive can be used with guide rail or link arm
- Glass guide rail available with a glass thickness of 8-10 mm
- Optional rechargeable battery provides maximun safety

| Product | Item Number | Amount | Unit |
|--------------------------------------------------------------------|---------------------|--------|------|
| | | | |
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| Abloy electric Mortice lock 560 | Abloy 6416495228890 | 1 | PCS |
| Lever handles on ball bearing roses, concealed fixing s.s.s finish | 12800302002 | 1 | PR |
| EVVA / FRIDAY ICS DIN | 2037 | 1 | PCS |
| PZ cylinder escutcheons, concealed fixing | 12800302002 | 1 | PCS |
| Floor door stop Ø40 mm | 14507002006 | 1 | PCS |
| GEZE ECturn Automatic | 131975 | 1 | PCS |





- Wi-Fi (low energy) always online
- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home



| Item Number | Amount | Unit |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| 00.40 | | D00 |
| 3040 | 1 | PCS |
| 3041 | 1 | PCS |
| Delivery from factory | | |
| Abloy 6416495228890 | 1 | PCS |
| 12800302002 | 1 | PR |
| 2037 | 1 | PCS |
| 12800302002 | 1 | PCS |
| 14507002006 | 1 | PCS |
| 14530202000 | 1 | PCS |
| 101899 12v 1A DC | 1 | PCS |
| | 3040 3041 Delivery from factory Abloy 6416495228890 12800302002 2037 12800302002 14507002006 14530202000 | 3040 1 3041 1 Delivery from factory Abloy 6416495228890 1 12800302002 1 2037 1 12800302002 1 14507002006 1 14530202000 1 |



DUO has the smallest dimensions of any retrofit lock in the world. It takes limited space on the door and can be fitted to virtually any mortise lock and door in the world. DUO gives the flexibility in an easy installment. It enhances the security of the door and operates deadbolt lock.

- Automatic lock / unlock
- Invite friends and family
- Grant and revoke "keys"
- Remote operation (Wi-Fi)
- Check current state
- Rechargeable battery
- All metal construction
- iOS and Android compatible




| Product | Item Number | Amount | Unit |
|--------------------------------------------------------------------|-----------------------|--------|------|
| FRIDAY RUO Constituted | 0045 0040 0004 | 4 | DOG |
| FRIDAY DUO Smart Lock | 2015 or 2018 or 2021 | 1 | PCS |
| Hinges | Delivery from factory | | |
| Lever handles on ball bearing roses, concealed fixing s.s.s finish | 12800302002 | 1 | PR |
| EVVA / FRIDAY ICS DIN | 2037 | 1 | PCS |
| PZ cylinder escutcheons, concealed fixing | 12800402011 | 1 | PCS |
| Floor door stop Ø40 mm | 14507002006 | 1 | PCS |
| Sash lock 60mmPZ72mm Square, strong spring+strike plate | 14921102600 | 1 | PCS |
| Door closer EN 2-5 w/latch, adj.arm w/Saddle bracket | 14530202000 | 1 | PCS |

Single Glass Doors



New smarter access to your existing or new electrical installations. Install LINK in the electrical installation who supply power to the electrical Strike, door automation or electromagnetic lock. Open and close doors with the FRIDAY app through Bluetooth or Wi-Fi. Remote open and close doors through FRIDAY Access.





- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home



| Product | Item Number | Amount | Unit |
|--------------------------------------------|--------------------------|--------|------|
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| Hinges | Delivery from factory | | |
| Abloy electric Strike 131E | Abloy 10266010857 | 1 | PCS |
| EVVA / FRIDAY ICS DIN | 2037 | 1 | PCS |
| Patch fittings | By glass door manufactor | | |
| Floor spring | By glass door manufactor | | |
| Pull handle Ø20 straight 650 mm, M8 thread | 12801102600 | 1 | PCS |
| Pull handle Ø20 straight 650 mm, bush | 12801102601 | 1 | PCS |
| BtB bolts M8 x 30 mm | 14491592380 | 2 | PCS |
| Glass door accessories | 14496500301 | 1 | SET |
| Floor door stop Ø40 mm | 14507002006 | 1 | PCS |
| Abloy PSU/ps-ss Standard series | 101899 12v 1A DC | 1 | PCS |

The project description is subject to guiding






- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home



| Product | Item Number | Amount | Unit |
|--------------------------------------------|--------------------------|--------|------|
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| Hinges | Delivery from factory | 3 | PCS |
| Abloy electric Strike 131E | Abloy 10266010857 | 1 | PCS |
| EVVA / FRIDAY ICS DIN | 2037 | 1 | PCS |
| Patch fittings | By glass door manufactor | | |
| Floor spring | By glass door manufactor | | |
| Pull handle Ø20 straight 650 mm, M8 thread | 12801102600 | 2 | PCS |
| Pull handle Ø20 straight 650 mm, bush | 12801102601 | 2 | PCS |
| BtB bolts M8 x 30 mm | 14491592380 | 4 | PCS |
| Glass door accessories | 14496500301 | 2 | SET |
| Floor door stop Ø40 mm | 14507002006 | 2 | PCS |
| Abloy PSU/ps-ss Standard series | 101899 12v 1A DC | 1 | PCS |


The project description is subject to guiding



- Wi-Fi (low energy) always online
- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home

- Right and left single leaf single-action doors
- Single-action doors up to 1400 mm leaf width and 180 kg weight
- Interior and exterior doors with high access frequency
- Door leaf installation and transom installation
- Adjustable opening and closing speed
- Electrical latching action which accelerates the door shortly before the closed position
- Low-energy function opens and closes the door with reduced speed, fulfilling the highest safety requirements
- Obstacle detection detects obstacles through contact and stops the opening or closing process
- Automatic reversing detects an obstacle and returns to the opening position
- Push & Go function triggers the automatic drive components
- Drive can be used with roller guide rail or link arm

| Product | Item Number | Amount | Unit |
|--------------------------------------------------------------------|---------------------|--------|------|
| | | | _ |
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| Abloy electric Mortice lock 560 | Abloy 6416495228890 | 1 | PCS |
| Lever handles on ball bearing roses, concealed fixing s.s.s finish | 12800302002 | 2 | PR |
| EVVA / FRIDAY ICS DIN | 2037 | 1 | PCS |
| PZ cylinder escutcheons, concealed fixing | 12800402011 | 1 | PCS |
| Floor door stop Ø40 mm | 14507002006 | 1 | PCS |
| Rigidiser | 14292102060 | 1 | PCS |
| GEZE Slimdrive EMD Automatic | 117867 | 2 | PCS |
| Accessories – GEZE example | | | |
| GEZE plastic elbow switch (Inside) | 114077 | 1 | PCS |




- Wi-Fi (low energy) always online
- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home

- Fire and smoke protection doors
- Right and left double leaf single-action doors
- Single-action doors up to 2800 mm hinge clearance, 1400 mm leaf width and 230 kg weight
- Min. hinge clearance 1500 mm, min. leaf width 750 mm
- Interior and exterior doors that must close in the correct sequence even without power
- Transom installation hinge and opposite hinge side
- Adjustable opening and closing speed
- Electrical latching action which accelerates the door
- Low-energy function opens and closes the door
- Obstacle detection
- Automatic reversing detectection
- Push & Go function triggers the automatic drive components
- Drive can be used with roller guide rail or link arm

| Product | Item Number | Amount | Unit |
|-----------------------------------|-------------|--------|------|
| | | | |
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| GEZE Slimdrive EMD-F IS Automatic | 122037 | 1 | PCS |
| Exit device one point locking | 14512202001 | 1 | SET |
| Exit device two point locking | 14512202002 | 1 | SET |






- Wi-Fi (low energy) always online
- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home

- Three and four leaf door systems
- Interior and exterior doors with high access frequency
- Representative building entrances with large incidence of light
- Facades with narrow post-rail constructions
- Glass facades with the highest design standards
- Inner diameter ranging from 1800 to 3600 mm possible
- Suitable profile systems are fine-framed with ISO and mono glass
- Llow-wear drive solution with a canopy height of at least 200 mm
- Effective insulation effect against draughts, weather and noise
- Adjustable automatic speed setting and manual door operation
- Can be networked via CAN bus and integrated into building technology management systems
- Independent error recognition and recording
- Freely configurable inputs and outputs
- Integrated, rechargeable battery for emergency

| Product | Item Number | Amount | Unit |
|--------------------------------|-------------|--------|------|
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| GEZE TSA 325 NT Revolving door | 166864 | 1 | PCS |
| GLZL 13A 323 NT Revolving door | 100004 | ı | F 03 |

Fire Doors



New smarter access to your existing or new electrical installations. Install LINK in the electrical installation who supply power to the electrical Strike, door automation or electromagnetic lock. Open and close doors with the FRIDAY app through Bluetooth or Wi-Fi. Remote open and close doors through FRIDAY Access.

- Wi-Fi (low energy) always online
- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home


Daniel Land

- Fire and smoke protection doors
- Hold-open systems with integrated hold-open function -
- country-specific specifications must be observed
- Right and left single leaf single-action doors
- Single-action doors up to 1400 mm leaf width or 230 kg weight
- Interior and exterior doors with high access frequency
- Door leaf installation and transom installation
- Closing force with variable adjustment EN3-6
- Adjustable opening and closing speed
- Mechanical latching action and electrical latching action
- Low-energy function opens and closes the door
 Obstacle detection and automatic reversing detectection
- Push & Go function triggers the automatic drive components
- Drive can be used with roller guide rail or link arm
- Smoke switch control unit can be connected

Dealer Manager

| Product | Item Number | Amount | Unit |
|---------------------------------------------------------------------|---------------------|--------|------|
| | | | |
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |
| Abloy electric Mortice lock 560 | Abloy 6416495228890 | 1 | PCS |
| EVVA / FRIDAY ICS DIN | 2037 | 1 | PCS |
| GEZE Slimdrive EMD-F Automatic | 117856 | 1 | PCS |
| Lever handles on ball bearing roses, concealed fixing s.s.s finish | 12800302002 | 1 | PR |
| PZ cylinder escutcheons, concealed fixing | 12800402011 | 1 | PCS |
| Sectioned bolts - TX 10, M5 x 110 mm satin nickel plated | 14296174107 | 2 | PCS |
| Butt hinges, Class 12, phosphor bronze bearings 102x35x3 mm, square | 14500302000 | 3 | PCS |
| Floor door stop Ø40 mm | 14507002006 | 1 | PCS |
| Accessories – GEZE example | | | |
| GEZE plastic elbow switch (Inside) | 114077 | 1 | PSC |
| | | | |

11.25



FRIDAY

- Wi-Fi (low energy) always online
- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home

| Product | Item Number | Amount | Unit |
|---------------------------------------------------------------------|---------------------|--------|------|
| FRIDAY LINK Smart Wired / DC | 2040 | 1 | DOC |
| FRIDAT LINK Smart Wiled / DC | 3040 | I | PCS |
| FRIDAY LINK Smart Battery | 3041 | 1 | PCS |
| Abloy electric Mortice lock 560 | Abloy 6416495228890 | 1 | PCS |
| EVVA / FRIDAY ICS DIN | 2037 | 1 | PCS |
| Lever handles on ball bearing roses, concealed fixing s.s.s finish | 12800302002 | 1 | PR |
| PZ cylinder escutcheons, concealed fixing | 12800402011 | 1 | PCS |
| Sectioned bolts - TX 10, M5 x 110 mm satin nickel plated | 14296174107 | 2 | PCS |
| Butt hinges, Class 12, phosphor bronze bearings 102x35x3 mm, square | 14500302000 | 3 | PCS |
| Floor door stop Ø40 mm | 14507002006 | 1 | PCS |
| Door closer EN 2-5 w/latch, adj.arm w/Saddle bracket | 14530202000 | 1 | PCS |
| Abloy PSU/ps-ss Standard series | 101899 12v 1A DC | 1 | PCS |




FRIDAY

New smarter access to your existing or new electrical installations. Install LINK Battery and forget about drawing wires and connecting to power supply. Connect LINK Battery to an electrical strike or an LE electrical lock and create access to even the most remote doors and fences.

- Wi-Fi (low energy) always online
- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home

| Product | Item Number | Amount | Unit |
|---------------------------------------------------------------------|-------------------|--------|------|
| FRIDAY LINK Smart Battery | 3041 | 1 | PCS |
| Abloy electric Strike 131E | Abloy 10266010857 | 1 | PCS |
| EVVA / FRIDAY ICS DIN | 2037 | 1 | PCS |
| Lever handles on ball bearing roses, concealed fixing s.s.s finish | 12800302002 | 1 | PR |
| PZ cylinder escutcheons, concealed fixing | 12800402011 | 1 | PCS |
| Sectioned bolts - TX 10, M5 x 110 mm satin nickel plated | 14296174107 | 2 | PCS |
| Butt hinges, Class 12, phosphor bronze bearings 102x35x3 mm, square | 14500302000 | 3 | PCS |
| Floor door stop Ø40 mm | 14507002006 | 1 | PCS |
| Door closer EN 2-5 w/latch, adj.arm w/Saddle bracket | 14530202000 | 1 | PCS |

Remote Fence Doors / No Electricity




New smarter access to your existing or new electrical installations. Install LINK Battery and forget about drawing wires and connecting to power supply. Connect LINK Battery to an electrical strike or an LE electrical lock and create access to even the most remote doors and fences.

- Wi-Fi (low energy) always online
- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home



| Product | Item Number | Amount | Unit |
|--------------------------------------------------------------------|-----------------------|--------|------|
| | | | |
| FRIDAY LINK Smart Battery | 3041 | 1 | PCS |
| Abloy electric Strike 131E | Abloy 10266010857 | 1 | PCS |
| EVVA / FRIDAY ICS DIN | 2037 | 1 | PCS |
| Hinges | Delivery from factory | | |
| Lever handles on ball bearing roses, concealed fixing s.s.s finish | 12800302002 | 1 | PR |
| PZ cylinder escutcheons, concealed fixing | 12800402011 | 2 | PCS |
| Sectioned bolts - TX 10, M5 x 110 mm satin nickel plated | 14296174107 | 1 | PCS |






- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home



| Product | Item Number | Amount | Unit |
|------------------------------|-------------|--------|------|
| | | | |
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |





- Bluetooth BLE 5.0
- Geofence triggered openings
- Remote opening
- Invites y-m-d-h-m
- No need for HUB
- Apple HomeKit
- Amazon Alexa
- Google Home



| Product | Item Number | Amount | Unit |
|------------------------------|-------------|--------|------|
| | | | |
| FRIDAY LINK Smart Wired / DC | 3040 | 1 | PCS |

NON-ACCESS CONTROL DOORS



Main Entrance Doors – Single Leaf



| Product | Item Number | Amount | Unit |
|---------------------------------------------------------------------|---------------|--------|------|
| | | | |
| Lever handles on ball bearing roses, concealed fixing s.s.s finish | 12800302002 | 1 | PR |
| PZ cylinder escutcheons, concealed fixing | 12800402011 | 2 | PCS |
| Sectioned bolts - TX 10, M5 x 110 mm satin nickel plated | 14296174107 | 2 | PCS |
| Sash lock 60mmPZ72mm Square, strong spring+strike plate | 14921102600 | 1 | PCS |
| Butt hinges, Class 12, phosphor bronze bearings 102x35x3 mm, square | 14500302000 | 3 | PCS |
| Floor door stop Ø40 mm | 14507002006 | 1 | PCS |
| Door closer EN 2-5 w/latch, adj.arm w/Saddle bracket | 14530202000 | 1 | PCS |
| EPS5 EU profile esc. Cylinder, 31/31 Satin Nickel MK | 14E5MKIKD3131 | 1 | PCS |

WC Doors – Single Leaf



| Product | Item Number | Amount | Unit |
|---------------------------------------------------------------------|-------------|--------|------|
| | | | |
| Lever handles on ball bearing roses, concealed fixing s.s.s finish | 12800302002 | 1 | PR |
| Toilet indicator, 8L90 | 12800502102 | 1 | SET |
| WC lock 60mm 78/8 Square, strong spring+strike plate | 14921202600 | 1 | PCS |
| Butt hinges, Class 12, phosphor bronze bearings 102x35x3 mm, square | 14500302000 | 3 | PCS |
| Floor door stop Ø40 mm | 14507002006 | 1 | PCS |
| Bathroom Accessories | | | |
| Toilet roll holder Ø20 - 174x101x60 mm | 12800202001 | 1 | PCS |
| Spare roll holder Ø20 - 159x111x60 mm | 12800202002 | 1 | PCS |
| Toilet brush - wall hung Ø108 x 372 mm | 12800802001 | 1 | PCS |
| Coat hooks Ø20 - 48x24x20 mm | 12800102002 | 2 | PCS |
| Washroom panel, towel dispenser, waste bin HL | 14710007010 | 1 | SET |
| Liquid soap dispenser, touchless | 14704602000 | 1 | PCS |
| <u>Disabled WC</u> | | | |
| Folding grab bar 700mm | 14750202703 | 1 | PCS |
| Toilet roll holder | 14750202002 | 1 | PCS |
| Folding grab bar 700mm, no holes for roll holder | 14750202704 | 1 | PCS |
| Seat, foldable, Barrier free, PU coated | 14750102403 | 1 | PCS |
| Grab Bar Set, Straight End C to C 300 mm | 14751002301 | 2 | PCS |
| Hand dryer wall mounted | 14708202010 | 1 | PCS |

Passage Doors – Single Leaf











| Product | Item Number | Amount | Unit |
|---------------------------------------------------------------------|-------------|--------|------|
| | | | |
| Lever handles on ball bearing roses, concealed fixing s.s.s finish | 12800302002 | 1 | PR |
| Latch lock 60mm Square, strong spring+strike plate | 14921502600 | 1 | PCS |
| Butt hinges, Class 12, phosphor bronze bearings 102x35x3 mm, square | 14500302000 | 3 | PCS |
| Floor door stop Ø40 mm | 14507002006 | 1 | PCS |
| Door closer EN 2-5 w/latch, adj.arm w/Saddle bracket | 14530202000 | 1 | PCS |

Fire Escape Doors – Single Leaf



| Product | Item Number | Amount | Unit |
|--------------------------------------------------------------------------------|-------------|--------|------|
| | | | |
| Butt hinges, Class 12, phosphor bronze bearings 102x35x3 mm, square | 14500302000 | 3 | PCS |
| Exit device one point locking | 14512202001 | 1 | SET |
| Exit device two point locking | 14512202002 | 1 | SET |
| Lever handles on ball bearing roses, concealed fixing s.s.s finish - half pair | 12800302900 | 1 | PCS |
| PZ cylinder escutcheons, concealed fixing | 12800402011 | 2 | PCS |
| Floor door stop Ø40 mm | 14507002006 | 1 | PCS |
| EPS5 EU profileSingle cylinder, MK | 14E5MKIHZ32 | 1 | PCS |

Single Glass Doors



| Product | Item Number | Amount | Unit |
|--------------------------------------------|--------------------------|--------|------|
| | | | |
| Patch fittings | By glass door manufactor | | |
| Floor spring | By glass door manufactor | | |
| Pull handle Ø20 straight 650 mm, M8 thread | 12801102600 | 1 | PCS |
| Pull handle Ø20 straight 650 mm, bush | 12801102601 | 1 | PCS |
| BtB bolts M8 x 30 mm | 14491592380 | 2 | PCS |
| Glass door accessories | 14496500301 | 1 | SET |
| Floor door stop Ø40 mm | 14507002006 | 1 | PCS |

Double Glass Doors



| Product | Item Number | Amount | Unit |
|--------------------------------------------|--------------------------|--------|------|
| | | | |
| Patch fittings | By glass door manufactor | | |
| Floor spring | By glass door manufactor | | |
| Pull handle Ø20 straight 650 mm, M8 thread | 12801102600 | 2 | PCS |
| Pull handle Ø20 straight 650 mm, bush | 12801102601 | 2 | PCS |
| BtB bolts M8 x 30 mm | 14491592380 | 4 | PCS |
| Glass door accessories | 14496500301 | 2 | SET |
| Floor door stop Ø40 mm | 14507002006 | 2 | PCS |

Double Doors



| Product | Item Number | Amount | Unit |
|----------------------------------------------------------------------|---------------|--------|------|
| Lever handles on ball bearing roses, concealed fixing s.s.s finish | 12800302002 | 1 | PR |
| PZ cylinder escutcheons, concealed fixing | 12800402011 | 2 | PCS |
| Sectioned bolts - TX 10, M5 x 110 mm satin nickel plated | 14296174107 | 2 | PCS |
| Sash lock 60mmPZ72mm Square, strong spring+strike plate | 14921102600 | 1 | PCS |
| Butt hinjges, Class 12, phosphor bronze bearings 102x35x3 mm, square | 14500302000 | 6 | PCS |
| Floor door stop Ø40 mm | 14507002006 | 2 | PCS |
| Door closer EN 2-5 w/latch, adj.arm w/Saddle bracket | 14530202000 | 1 | PCS |
| EPS5 EU profile esc. Cylinder, 31/31 Satin Nickel MK | 14E5MKIKD3131 | 1 | PCS |
| Lever action flush bolts 25 x 200 mm | 28509102200 | 2 | PCS |
| Rigidiser | 14292102060 | 1 | PCS |

Contact

| Roskildevej 22 2620 Albertslund | |
|------------------------------------|--|
| Denmark | |
| CVR: 39967332 | |
| +45 53 500 700 | |
| sales@fridayhome.net | |
| www.fridayhome.net | |
| www.maaynome.net | |
| 000 | |
| CCO | |
| Sigurd Rasmussen +45 5383 3565 | |
| sigurd@fridayhome.net | |
| | |
| | |
| Head of Sales | |
| Michael Gantzler | |
| + 45 5361 9931 | |
| mg@fridayhome.net | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

